



MBG

ISO 9001 V 2008

Poteaux d'éclairage public **Street lighting poles**



**Un professionnel
qui répond à vos
exigences**

**A professional
that responds to your needs**

www.mbgindustry.com

MBG

Eclairage Public Street lighting Poles



H (m)	Dimensions / Dimensions		Epaisseur Thickness (mm)	Portillon du service Service gate	Epaisseur Thickness	Plaque d'appui Flange plate	Poids Weight
	Embout / Head	Embase/Base					
3	56	150	3	300 x 70	6	300 x 200	29 kg
4	56	150	3	300 x 70	6	300 x 200	33 kg
5	60	180	3	500 x 105	8	400 x 300	56 kg
6	60	180	3	500 x 105	8	400 x 300	66 kg
7	60	180	3	500 x 105	8	400 x 300	75 kg
7	60	180	4	500 x 105	10	400 x 300	99 kg
8	60	180	3	500 x 105	10	400 x 300	87 kg
8	60	180	4	500 x 105	10	400 x 300	112 kg
9	60	180	4	700 x 130	10	400 x 300	124 kg
10	60	200	4	700 x 130	10	400 x 300	133 kg
11	60	200	4	700 x 130	12	400 x 300	162 kg
12	60	200	4	700 x 130	15	400 x 300	179 kg
12	60	250	4	700 x 130	15	400 x 300	210 kg

Crosse Simple / Simple scroll

H	S		
1			
1.5	1	1.5	2
2			
2.5			

Crosse Double / Double scroll

H	S		
1			
1.5	1	1.5	2
2			
2.5			

Crosses

